

By Kenneth Tang

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6330659").PN.	USPAT	OR	OFF	2005/06/01 11:36
L2	1	1 and java	USPAT	OR	ON	2005/06/01 11:37
L3	1	1 and hierarchy	USPAT	OR	ON	2005/06/01 11:37
L4	26	"5828883"	USPAT	OR	ON	2005/06/01 11:49
L5	1	("5828883").PN.	USPAT	OR	OFF	2005/06/01 11:50
L6	1	5 and (branch\$4 hierarchy)	USPAT	OR	ON	2005/06/01 12:28
L7	86925	(chapman low johnson).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 12:28
L8	170	(map\$4 with stack).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 12:29
L9	1	7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 12:29
S1	2	(map\$5 near3 control) with stack with (program adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/22 10:15
S2	1	(US-5668999-\$).did.	USPAT	OR	OFF	2002/08/26 08:04
S3	1	((US-5668999-\$).did.) and (stack with counter) and (control or path or flow) and bytecode	USPAT	OR	ON	2002/08/22 11:10
S4	0	((US-5668999-\$).did.) and (stack with counter) and (control or path or flow) and bytecode and start and (destination or finish)	USPAT	OR	ON	2002/08/22 10:25
S5	0	((US-5668999-\$).did.) and (stack with counter) and (control or path or flow) and bytecode and map	USPAT	OR	ON	2002/08/22 10:26
S6	5	map\$5 near3 stack with (program near2 counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/22 11:12

S7	2	(map\$5 near3 stack with (program near2 counter)) and @ad<="19980629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/22 11:12
S8	2	(US-5668999-\$ or US-6047125-\$).did.	USPAT	OR	OFF	2002/08/22 11:13
S9	2	((US-5668999-\$ or US-6047125-\$).did.) and bytecode and (control or flow)	USPAT	OR	ON	2002/08/22 11:21
S10	2	((((US-5668999-\$ or US-6047125-\$).did.) and bytecode and (control or flow)) and stack	USPAT	OR	ON	2002/08/22 11:28
S11	1	(((((US-5668999-\$ or US-6047125-\$).did.) and bytecode and (control or flow)) and stack) and (program adj counter)	USPAT	OR	ON	2002/08/22 11:29
S12	2	(US-5668999-\$ or US-6047125-\$).did.	USPAT	OR	OFF	2002/08/23 10:22
S13	8	stack with map with (program adj counter)	USPAT	OR	ON	2002/08/23 10:23
S14	11	stack with map\$ with (program adj counter)	USPAT	OR	ON	2002/08/23 10:23
S15	1	(stack with map\$ with (program adj counter)) and ("6047125".PN. and ((((((US-5668999-\$ or US-6047125-\$).did.).p64-p127.) and bytecode and (control or flow)) and stack) and (program adj counter)))	USPAT	OR	ON	2002/08/23 10:56
S16	1	((("6047125").PN.) and (bytecode with stack)	USPAT	OR	ON	2002/08/23 10:58
S17	1	((("6047125").PN.) and (bytecode with stack with execut\$5)	USPAT	OR	ON	2002/08/23 11:06
S18	1	((("6047125").PN.) and (stack with counter with pointer)	USPAT	OR	ON	2002/08/23 11:07
S19	2	(US-5668999-\$ or US-6047125-\$).did.	USPAT	OR	OFF	2002/08/23 13:11
S20	0	((US-5668999-\$ or US-6047125-\$).did.) and (linear with bytecode)	USPAT	OR	ON	2002/08/23 13:12
S21	0	((US-5668999-\$ or US-6047125-\$).did.) and (linear with first)	USPAT	OR	ON	2002/08/23 13:12
S22	2	((US-5668999-\$ or US-6047125-\$).did.) and (bytecode with first)	USPAT	OR	ON	2002/08/23 13:15

S23	1	((US-5668999-\$ or US-6047125-\$).did.) and (virtual adj stack)	USPAT	OR	ON	2002/08/23 13:16
S24	1	((US-5668999-\$ or US-6047125-\$).did.) and ((virtual adj stack) same bytecode)	USPAT	OR	ON	2002/08/23 13:17
S25	1	((US-5668999-\$ or US-6047125-\$).did.) and ((virtual adj stack) same bytecode same execut\$5)	USPAT	OR	ON	2002/08/23 13:31
S26	0	((US-5668999-\$ or US-6047125-\$).did.) and ((virtual adj stack) same bytecode same execut\$5 same path)	USPAT	OR	ON	2002/08/23 13:18
S27	0	((US-5668999-\$ or US-6047125-\$).did.) and linear	USPAT	OR	ON	2002/08/23 13:31
S28	0	((US-5668999-\$ or US-6047125-\$).did.) and ((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))	USPAT	OR	ON	2002/08/23 13:33
S29	427427	((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 13:35
S30	2870	((((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))) and (record\$4 same process\$4 same (later or future)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 13:36
S31	2180	(((((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))) and (record\$4 same process\$4 same (later or future)))) and @ad<="19980629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 15:12
S32	1	((((((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))) and (record\$4 same process\$4 same (later or future)))) and @ad<="19980629") and (bytecode with breakpoint with pointer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 13:38
S33	1	((((((interrupt\$4 or delet\$4 or halt\$4 or stop\$4) with (path or control or flow))) and (record\$4 same process\$4 same (later or future)))) and @ad<="19980629") and (bytecode with breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 13:38

S34	1	first adj linear adj bytecode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 15:13
S35	23	first adj bytecode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 15:13
S36	15	(first adj bytecode) and @ad<="19980629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/23 15:13
S37	3	first adj bytecode adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/26 09:10
S38	3	((process\$5 near3 bytecode) with (interrupt\$5 or stop\$4)) same (record\$4 or stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/26 09:20
S39	4	(US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$).did.	USPAT	OR	OFF	2002/08/27 12:00
S40	2	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$).did.) and bytecode and process\$5 and record\$5	USPAT	OR	ON	2002/08/26 09:22
S41	1	breakpoint with bytecode with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/27 12:01
S42	3	breakpoint with bytecode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/28 12:59
S43	5	determin\$5 with bytecode with pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/28 13:11

S44	2	(determin\$5 with bytecode with pointer) same (chang\$5 or replac\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/08/28 13:12
S45	5	(US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.	USPAT	OR	OFF	2002/08/28 16:19
S46	5	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and bit\$	USPAT	OR	ON	2002/08/28 16:23
S47	5	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and ((bit\$7 or byte\$6) with virtual)	USPAT	OR	ON	2002/08/28 16:30
S48	2	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and ((bit\$7 or byte\$6) with virtual with encod\$4)	USPAT	OR	ON	2002/08/28 16:26
S49	3	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and (((bit\$7 or byte\$6) with virtual) same stack)	USPAT	OR	ON	2002/08/28 16:57
S50	4	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and ((stor\$5 near3 (bit\$7 or bytecode)) with stack)	USPAT	OR	ON	2002/08/28 17:17
S51	3	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and (stor\$5 same heap)	USPAT	OR	ON	2002/08/28 17:18
S52	5	(US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.	USPAT	OR	OFF	2002/08/29 13:36
S53	5	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and (stack with (bits or bytecode))	USPAT	OR	ON	2002/08/29 14:02
S54	1	(US-5668999-\$).did.	USPAT	OR	OFF	2002/08/29 14:01
S55	1	((US-5668999-\$).did.) and (stack with bytecode)	USPAT	OR	ON	2002/08/29 14:02
S56	1	("6047125").PN.	USPAT; USOCR	OR	OFF	2002/09/01 17:19
S57	0	((("6047125").PN.) and (bytecode with flow)	USPAT	OR	ON	2002/09/01 15:56

S58	1	((("6047125").PN.) and (bytecode with control)	USPAT	OR	ON	2002/09/01 16:55
S59	1	((("6047125").PN.) and (bytecode with stack)	USPAT	OR	ON	2002/09/01 16:55
S60	1	("5668999").PN.	USPAT; USOCR	OR	OFF	2002/09/01 17:00
S61	1	((("5668999").PN.) and (bytecode with stack)	USPAT	OR	OFF	2002/09/01 17:00
S62	1	((("6047125").PN.) and (computer or read\$5 or memory)	USPAT	OR	ON	2002/09/01 17:58
S63	0	((("6047125").PN.) and ((computer or read\$5 or memory) with intruction)	USPAT	OR	ON	2002/09/01 17:20
S64	1	((("6047125").PN.) and (computer or read\$5 or memory)	USPAT	OR	ON	2002/09/01 17:20
S65	5	(US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.	USPAT	OR	OFF	2003/02/11 14:01
S66	3	((US-5668999-\$ or US-6047125-\$ or US-6098089-\$ or US-6026485-\$ or US-5909579-\$).did.) and heap and stack	USPAT	OR	ON	2003/02/11 16:33
S67	1	(US-5668999-\$).did.	USPAT	OR	OFF	2003/02/11 14:17
S68	0	((US-5668999-\$).did.) and heap	USPAT	OR	ON	2003/02/11 14:17
S69	1	(US-6047125-\$).did.	USPAT	OR	OFF	2003/02/11 16:33
S70	1	((US-6047125-\$).did.) and stack	USPAT	OR	ON	2003/02/11 16:33
S71	227	(map\$4 with stack) and virtual and @ad<="19980629"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 15:33
S72	87	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:13
S73	23	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter) and path) and (path with (end complete\$3 finish\$3 done))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:29
S74	40	((map\$4 with stack) and virtual and @ad<="19980629") and (counter with (end finish\$2 last complet\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:14

S75	1	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter) and path) and ((path with (end complete\$3 finish\$3 done)) same map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:29
S76	74	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter) and path	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:34
S77	122391	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter) and path) (counter with (start finish begin\$4 end\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 16:35
S78	30	((map\$4 with stack) and virtual and @ad<="19980629") and (program adj counter) and path) and (counter with (start finish begin\$4 end\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/28 17:08
S79	1	("5909579").PN.	USPAT; USOCR	OR	OFF	2003/11/28 17:08
S80	1	((("5909579").PN.) and map\$4	USPAT	OR	OFF	2003/11/28 17:22
S81	1	((("5909579").PN.) and bytecode	USPAT	OR	OFF	2003/11/28 17:23
S89	1	("5828883").PN.	USPAT	OR	OFF	2004/12/21 13:45
S90	0	S89 and calculat\$5	USPAT	OR	OFF	2004/12/21 13:46
S91	1	S89 and comput\$4	USPAT	OR	OFF	2004/12/21 14:33
S92	0	S89 and heap	USPAT	OR	OFF	2004/12/21 14:34
S93	0	S89 and heap	USPAT	OR	ON	2004/12/21 14:36
S94	311	heap near3 stack	USPAT	OR	ON	2004/12/21 14:37
S95	74	stor\$3 with (heap near3 stack)	USPAT	OR	ON	2004/12/21 14:37
S96	2687311	@ad<="19980629"	USPAT	OR	ON	2004/12/21 14:37
S97	41	S95 and S96	USPAT	OR	ON	2004/12/21 14:37